

EPA Registration No.
87583-3
Vol. 2

PROCESSING REQUEST

Reg # 87583-3

Decision # 509727

Description: Labeling Notification

Electronic Label & Letter
(see PPLS):

OR

Non Electronic
Label & Letter
(Scanning required):

☐ Dated:

☒ Dated: 03/09/16

Only one label type should be selected

Other Materials Sent (see jacket):

☐ New CSF(s) Dated:

☐ Other:

File this coversheet and attached materials in the jacket. It must be well organized and clipped together, NOT STAPLED. Then give the jacket with the coversheet and materials to staff in the Information Services Center (ISC) (Room S-4900). If a jacket is full or only available as an image, please file materials in a new jacket and bring it down to the (ISC). For further information please call 703-605-0716.

Reviewer: Karen M. Leavy

Division: AD

Phone: 308-6237

Date: 03/15/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 9, 2016

Mr. Kevin Kutcel
Agent for,
PureShield, Inc.
1445 Jupiter Park Drive
Jupiter, FL 33458

Subject: Notification per PRN 98-10 – to update the product labeling
Product Name: Bio-Protect AM50
EPA Registration Number: 87583-3
Application Date: February 22, 2016
Decision Number: 514271

Dear Mr. Kutcel:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Karen M. Leavy at 703-308-6237 or via email at Leavy.Karen@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Karen M. Leavy, Esq.". The signature is written in a cursive style with a large, stylized "K" and "L".

Eric Miederhoff
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

HIGHLIGHTED



NOTIFICATION

87583-3

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/09/2016

Active Ingredient:	3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....	0.50%
Other Ingredients:	99.50%
TOTAL		
INGREDIENTS:	100.00%

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool

- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles, ship sails, buses and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon or in accordance with the table below:

Amount of Bio-Protect AM 50	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaner and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Bio-Protect AM50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
Air filters and air filter material for: <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	Odor-causing bacteria, bacteria which cause staining and	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Bio-Protect AM50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recirculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Bio-Protect AM50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester,	Odor-causing bacteria, bacteria which cause staining and discoloration,	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of

polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	and fungi (mold and mildew)	fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold	<p>SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor,</p>

	and mildew), and algae	staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.

Antimicrobial Surface Protectant

Provides a Clear, Long Lasting Shield Which Stops and Prevents the Growth of Mold, Mildew, Fungus, Algae and Odor & Stain Causing Bacteria.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Kevin Kutcel		Title Agent		Telephone No. (Include Area Code) 440-263-7305	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Data Application Received (Stamped)
2. Signature 		3. Title Agent			
4. Typed Name Kevin Kutcel		5. Date 2/22/2016			

Receipt for Section 3

S: 981711

Milestone Email:

Regulatory Type: Product Registration - Section 3

Resubmission: ☐ Yes ☒ No

Fee For Service: ☐ Yes ☒ No

Application Type: Notification

Company: 87583 PURESIELD, INC.

V

Risk Manager: Antimicrobials Division, Risk Management Team 31

Product #: 87583-3 Product Name: BIO-PROTECT AM50

Override#

Me Too
Section3:

Me Too Product
Name:

Application Date: 22-Feb-2016



OPP Rec'd Date: 24-Feb-2016



Front End Date: 24-Feb-2016



Risk Manager Send Date: 24-Feb-2016



FFS Due Date:

Negotiated Due Date:

OPP Target Date:

Fast Track: ☐

New Ingredient: ☐

Receipt Description:

Notification -PR Notice 98-10

Form A: ☐

Signature Date:

Form B: ☐

Signature Date:

Print Letter

Enter More Information

Tracking

Receipt Content

Des

Paper Label

View/Edit

New Ingredient

Request Date

New Ingredient

Received Date

K

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

February 22, 2016

US Environmental Protection Agency (NOTIF)

Office of Pesticide Programs

Antimicrobial Division (S-8824)

Room S-4900, One Potomac Yard

2777 South Crystal Drive

Arlington, VA 22202-4501

Subject: Notification – PR Notice 98-10
EPA Reg. No. 87583-3
“Bio-Protect AM50”


Attached is a notification for “Bio-Protect AM50” (Reg. No. 87583-3) in which the following changes have been made to the label. One copy of the highlighted label and three copies of the amended label have been included with this notification:

- Addition of airplanes, boats, ships, trains, buses in the directions for use on page 3.
- Addition of electrostatic sprayers for commercial spray application on page 5.

This notification is consistent with the guidance in PR Notice 98-10 and EPA’s regulations at 40 CFR 156.46 and no other changes have been made to the labeling. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the notification is not consistent with the requirements of PR Notice 98-10 and 40 CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,

Agent for PureShield Inc.



Highlighted

Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....**0.50%**
Other Ingredients:**99.50%**
TOTAL
INGREDIENTS:**100.00%**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool

- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles, airplanes, boats, ships, trains, buses and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon or in accordance with the table below:

Amount of Bio-Protect AM 50	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, electrostatic sprayers, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Bio-Protect AM50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
Air filters and air filter material for: <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	Odor-causing bacteria, bacteria which cause staining and	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Bio-Protect AM50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recalculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Bio-Protect AM50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester,	Odor-causing bacteria, bacteria which cause staining and discoloration,	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of

polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	and fungi (mold and mildew)	fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold	<p>SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor,</p>

	and mildew), and algae	staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain.

Formica, stainless steel, synthetic marble.

Antimicrobial Surface Protectant

Provides a Clear, Long Lasting Shield Which Stops and Prevents the Growth of Mold, Mildew, Fungus, Algae and Odor & Stain Causing Bacteria.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

November 3, 2015

Kelvin Kutcel,
Agent,
KRK Consulting LLC,
5807 Churchill Way,
Medina, OH 44256,

Subject: Notification for Alternative Name Brand
Product Name: Bio-Protect AM50
EPA Registration Number: 87583-3
Application Date: 9/28/15
Decision Number: 509727

Dear Mr. Kelvin Kutcel,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The alternate brand "Protex90 RTU" has been added to the product record.

If you have any questions, contact Jamil Mixon at (703) 308-8032 or via email at mixon.cletis@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric Miederhoff".

Eric Miederhoff
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

January 6, 2015

Kevin Kutcel,
Agent for PureShield Inc.,
KRK Consulting LLC,
5807 Churchill Way,
Medina, OH 44256

Subject: Bio-Protect AM50
EPA Reg. No.: 87583-3
Notification Date: December 10, 2014
Receipt Date: December 16, 2014
Submission #: 961719

Mr. Kevin Kutcel,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested is found to be acceptable.

Action requested:

- Product Alternate Brand Name, "Defense Shield 50"

The label notification submitted with the application has been found to be acceptable. If you have any questions, you may contact Jamil Mixon via email at mixon.cletis@epa.gov.

Sincerely,

A handwritten signature in black ink, which appears to read "Jamil Mixon". The signature is written in a cursive, flowing style.

Jamil Mixon,
Product Management, Team 31
Regulatory Management Branch
Antimicrobials Division (7510P)



Receipt for Section 3



S: 961719 Milestone Event

Regulatory Type: Product Registration - Section 3

Application Type: Notification

Company: 87583 PURESHIELD INC



Resubmission: ☐ Yes ☒ No

Fee For Service: ☐ Yes ☒ No

Print Letter

Enter More Information

Tracking

Risk Manager: Antimicrobials Division, Risk Management Team 31

Product #: 87583-3 Product Name: BIO-PROTECT AM50

Override#:

Me Too Section3: Me Too Product Name:

Application Date: 10-Dec-2014



OPP Rec'd Date: 16-Dec-2014



Front End Date: 16-Dec-2014



Risk Manager Send Date: 16-Dec-2014



FFS Due Date:

Negotiated Due Date:

OPP Target Date:

Fast Track ☐

New Ingredient ☐

Receipt Description:

Notification for Alternate Brand Name per PRN 1998-10.

Receipt Content	Des
Paper Label	

View/Edit

Form A ☐ Signature Date

Form B ☐ Signature Date

clt's

1/14/15



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kevin Kutcel	Title Agent	Telephone No. (Include Area Code) 440-263-7305
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp or Signature)
2. Signature 	3. Title Agent	
4. Typed Name Kevin Kutcel	5. Date 12/10/2014	

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

December 10, 2014

US EPA (NOTIF)

Office of Pesticide Programs

Room S-4900, One Potomac Yard

2777 South Crystal Drive

Arlington, VA 22202-4501


Subject: PR Notice 1998-10 Notification for Alternate Brand Name (EPA No. 87583-3)

Please accept the attached one copy of the revised label for Reg. No. 87583-3 with the alternate brand name "Defense Shield 50" per PR Notice 1998-10.

Attached is EPA Form 8570-1 regarding this notification as required in PR Notice 1998-10. This notification is consistent with the guidance in PR Notice 1998-10 and the requirements of EPA's regulations at 40 CFR 156.46, 156.140, 156.144, 156.146 and 156.156 and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of PR Notice 98-10 and CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,

Agent for PureShield Inc.

DefenseShield 50

Provides an invisible microbiostatic coating

Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....0.50%
Other Ingredients:99.50%
TOTAL
INGREDIENTS:100.00%

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of DefenseShield 50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of DefenseShield 50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

DefenseShield 50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DefenseShield 50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of DefenseShield 50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in DefenseShield 50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. DefenseShield 50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool

- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in DefenseShield 50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. DefenseShield 50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. DefenseShield 50 treats approximately 200 square feet per gallon or in accordance with the table below:

Amount of DefenseShield 50	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more DefenseShield 50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. DefenseShield 50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more DefenseShield 50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough DefenseShield 50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in DefenseShield 50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
<p>Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos).</p> <p>DefenseShield 50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.</p>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough DefenseShield 50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
<p>Air filters and air filter material for:</p> <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	<p>Odor-causing bacteria, bacteria which cause staining and</p>	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply DefenseShield 50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recalculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted DefenseShield 50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. DefenseShield 50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more DefenseShield 50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester.	Odor-causing bacteria, bacteria which cause staining and discoloration,	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of

polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	and fungi (mold and mildew)	fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough DefenseShield 50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold	<p>SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying DefenseShield 50, let stand until dry. DefenseShield 50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply DefenseShield 50 every three months or when odor,</p>

	and mildew), and algae	staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply DefenseShield 50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

DefenseShield 50 is an antimicrobial agent effective against odor causing bacteria.

DefenseShield 50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

DefenseShield 50 is an antimicrobial agent effective against fungi (mold and mildew).

DefenseShield 50 is an antimicrobial agent effective against algae.

DefenseShield 50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

DefenseShield 50, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

DefenseShield 50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.

Antimicrobial Surface Protectant

Provides a Clear, Long Lasting Shield Which Stops and Prevents the Growth of Mold, Mildew, Fungus, Algae and Odor & Stain Causing Bacteria.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL
SAFETY AND POLLUTION
PREVENTION

December 10, 2014

I, Velma Noble, Regulatory Management Branch 1, Antimicrobials Division, Office of Pesticide Programs, Office of Chemical Safety and Pollution Prevention, United States Environmental Protection Agency ("EPA"), certify that the pesticide product (s) listed below is, as of the date of this letter, a registered product under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, and that as such, the product(s) may be sold and marketed in the United States of America as authorized and limited by FIFRA. A true and correct copy of the product label approved by EPA is attached to accompany this letter. The distributor label must be identical to the EPA approved label.

Registration of this product(s) with EPA also denotes that the registrant listed below is responsible for ensuring full compliance with all the laws of the United States of America, or governing jurisdiction, regarding the sale, storage and/or disposal of the product(s). Further, the recipient of this letter is on notice that the referenced registration and/or the accompanying label may change subsequent to the date of this letter. EPA assumes no responsibility to notify the recipient(s) (i.e., United States) of this letter of any change in the status of the registration(s) and/or the product label for the product(s) listed below.


EPA has issued registration numbers for the product(s) listed below to:

Pureshield Inc
5807 Churchill Way
Medina, OH 44256

Bactronix Corp.
3185 Madison Highway
5126
Valdosta, GA 316035126

EPA Registration Number: 87583-3
Name of Product: BIO-PROTECT AM50

Distributor Product Number: 87583-3-90406
Name of Distributor Product: BACTROBLOCK RTU


Velma Noble
Risk Manager 31
Regulatory Management Branch 1
Antimicrobials Division (7510P)



KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

December 2, 2014

U.S. Environmental Protection Agency
Document Processing Desk (CERT)
Office of Pesticide Programs (7504P)
Room S4900, One Potomac Yard
2777 Crystal Drive
Arlington, VA 22202

Subject: Gold Seal Letter for Reg. No. 87583-3-90406

The purpose of this letter is to request five (5) Gold Seal Letters for product "BactroBlock RTU" (Reg. No. 87583-3-90406) for sale in the United States of America.

The official address for the registrant is:

Bactronix Corp.
333 Rouser Road Bldg.# 4 , Suite 603
Moon Township PA, 15108

Enclosed is a receipt for the payment of \$263.00 for this action code M006 (Tracking ID 74712953556). This is the full payment and therefore a small business waiver is not being requested.

Also attached is a letter of authorization from Bactronix Corporation for KRK Consulting LLC to be the authorized agent handling all correspondence therefore all responses should be directed to the contact information on the letterhead above. Your cooperation in this matter is greatly appreciated. Please call me at 440-263-7305 if you should have any questions.

Best Regards,



Kevin R. Kutcel,
Agent for Bactronix Corporation

www.bactronix.com

412.375.7886

-----Original Message-----

From: pay.gov.clev@clev.frb.org [<mailto:pay.gov.clev@clev.frb.org>]

Sent: Tuesday, November 25, 2014 8:26 AM

To: Kim Capozzoli

Subject: Pay.gov Payment Confirmation: PRIA Service Fees

Your payment has been submitted to Pay.gov and the details are below. If you have any questions regarding this payment, please contact Michael Yanchulis at (703) 347-0237 or by email at yanchulis.michael@epa.gov.

Application Name: PRIA Service Fees

Pay.gov Tracking ID: 25IJN6J2

Agency Tracking ID: 74712953556

Account Holder Name: Bactronix Corp

Transaction Type: ACH Debit

Transaction Amount: \$263.00

Payment Date: 11/26/2014

Account Type: Business Checking

Routing Number: 036076150

Account Number: *****3408

Transaction Date: 11/25/2014 08:25:30 AM EST

Total Payments Scheduled: 1

Frequency: OneTime

Registration Number: 87583-3-90406

Company Name: Bactronix Corporation

Company Number: 90406

Action Code: M006

THIS IS AN AUTOMATED MESSAGE. PLEASE DO NOT REPLY.



November 28, 2014

U.S. Environmental Protection Agency
Office of Pesticide Programs (COADR)
Document Processing Desk (7504P)
One Potomac Yard – Room S4900
2777 S. Crystal Drive
Arlington, VA 22202

RE: Authorization for Representation / Agent Status

Pursuant to 40 CFR 152.50(b)(3), we hereby designate Kevin Kutcel of KRK Consulting LLC as an Authorized Agent to act in behalf of Bactronix Corporation with respect to all registration matters that may come before the Agency. The address of record for all matters related to FIFRA will be:

Bactronix Corporation
c/o Kevin Kutcel
KRK Consulting LLC
5807 Churchill Way
Medina, OH 44256

Contact: Kevin Kutcel - Tel. 440-263-7305

This authorization will remain valid until further notice is given by either Bactronix Corporation or KRK Consulting LLC.

If you have any questions, please contact KRK Consulting LLC at 440-263-7305.

Sincerely,

Mr. Joseph P. Kleynjans
C.E.O.

Cc: Kevin Kutcel – KRK Consulting LLC

Receipt for Section 3

S: 961288

Milestone Email:

Regulatory Type: Product Registration - Section 3

Application Type: Amendment

Company: 87583 PURESHIELD INC

Resubmission: ☐ Yes ☒ No

Fee For Service: ☒ Yes ☐ No

Billable: ☒ Yes ☐ No

Print Letter

Enter More Information

Tracking

Risk Manager: Antimicrobials Division, Risk Management Team 31

Product #: 87583-3

Product Name: BIO-PROTECT AM50

Me Too Section3:

Me Too Product Name:

Application Date: 02-Dec-2014

Front End Date: 05-Dec-2014

FFS Due Date:

OPP Target Date:

Fast Track: ☐

OPP Rec'd Date: 04-Dec-2014

Risk Manager Send Date: 05-Dec-2014

Negotiated Due Date:

New Ingredient: ☐

Receipt Description:

Gold Seal Certificate (5 copies) for distributor product number 87583-3-90406: BactroBlock RTU.

Form A: ☐

Signature Date:

Form B: ☐

Signature Date:

Receipt Content

Des

Other

Gold Seals

View/Edit



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

December 5, 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

OPP Decision Number: D-497912
EPA File Symbol or Registration Number: 87583-3-90406
Main Product Name: BIO-PROTECT AM50
Distributor Product Name: BACTROBLOCK RTU
EPA Receipt Date: 04-Dec-2014
Main EPA Company Number: 87583
Main Company Name: PURESIELD INC
Distributor EPA Company Number: 90406
Distributor Company Name: BACTRONIX CORPORATION

KEVIN KUTCEL
KRK CONSULTING LLC
Agent for PURESIELD INC/BACTRONIX CORPORATION
5807 CHURCHILL WAY
MEDINA, OH 44256-

SUBJECT: Receipt of Request for Gold Seal Certification Letter(s)

Dear Registrant:

The Office of Pesticide Programs has received your request for Gold Seal Certification letter(s) that is subject to a Pesticide Registration Service Fee as defined in the Pesticide Registration Improvement Act.

The action has been identified as action code M006:

UP TO 5 GOLD SEAL CERTIFICATION LETTERS PER REGISTRATION

No additional payment is due at this time. If you have any questions, please contact Betty Williams at (703) 308-0132.

Sincerely,

A handwritten signature in black ink, appearing to be "John", is written over the word "Sincerely,".

Front End Processing Staff
Information Technology & Resources Management Division

Material Sent for Data Extraction

Reg # 875815

Description: _____

☐ Material(s) Sent to Data Extraction Contractor:

☐ New Stamped Label Dated _____

☒ Notification Dated _____

☐ New CSF(s) Dated _____

☐ Other: _____

☐ Decision #: _____

☐ Other Action/Comments: _____

Attach this coversheet to the top of the material or jacket. It must be well organized and clipped together, NOT STAPLED. Then give the material with this coversheet to staff in the Information Services Center (Room S-4900).

Reviewer: Dequan

Phone: _____ Division: AD

Date: _____

Created February 3, 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 17 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Kevin Kutcel
Agent for
Pure Shield Inc.
1445 Jupiter Park Drive, #11
Jupiter, FL 33458

Subject: Bio-Protect AM50
EPA Registration Number 87583-3
Notification Application Dated August 19, 2014
EPA Received Date August 22, 2014

Dear Mr. Kutcel:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

- Additional of Optional Marketing Statement on page 10 of 11
- Removal of word "diluted" on page 5 of 11 product is a ready to use and not diluted
- Addition of table on page 5 of 11
- Making the use of a clothes dryer optional page 5 of 11

- **General Comments:**

Based on a review of the material submitted, the following comment apply:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely,

A handwritten signature in cursive script, appearing to read "Drusilla Copeland".

Drusilla Copeland
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
Washington, DC 20460

☐
☐
☒

Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted					
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 2, 4, 6, 8, 12, 16, 32 oz 1.5, 30, 55, 275 gal		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kevin Kutcel	Title Agent	Telephone No. (Include Area Code) 440-263-7305
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Kevin Kutcel	5. Date Aug 19, 2014	

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

August 19, 2014

US Environmental Protection Agency (NOTIF)

Office of Pesticide Programs

Antimicrobial Division (S-8824)

Room S-4900, One Potomac Yard

2777 South Crystal Drive

Arlington, VA 22202-4501

Subject: Notification – EPA No. 87583-3 “Bio-Protect AM50”


Attached is a notification for “Bio-Protect AM50” (Reg. No. 87583-3) in which the following changes have been made to the label. One copy of the highlighted label and three copies of the amended label have been included with this notification:

- Addition of Optional Marketing Statements on Page 10 of 11.
- Removal of word “diluted” on page 5 of 11 since the product is a ready to use and should not be diluted.
- Addition of table on page 5 of 11 that does not change the method of application or rate.
- Making the use of a clothes dryer optional as not all items could use clothes dryer. (Page 5 of 11)

This notification is consistent with the guidance in PR Notice 98-10 and EPA’s regulations at 40 CFR 156.46 and no other changes have been made to the labeling. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the notification is not consistent with the requirements of PR Notice 98-10 and 40 CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.



Highlighted

Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....**0.50%**
Other Ingredients:**99.50%**
TOTAL
INGREDIENTS:**100.00%**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

NOTIFICATION
Date Reviewed: 9/16/14
Reviewed By: [Signature]

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool

- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles and institutions c.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per ~~diluted~~ gallon of ~~water~~ or in accordance with the table below:

Amount of Bio-Protect AM 50	Pint 16 fl. Oz.	Quart 32 fl. Oz.	½ Gallon 64 fl. Oz.	One Gallon 128 fl. Oz.
Area to be Treated	25 sq. ft.	50 sq. ft.	100 sq. ft.	200 sq. ft.

When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), (for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer.) If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Bio-Protect AM50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
Air filters and air filter material for: <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	Odor-causing bacteria, bacteria which cause staining and	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4”-6” from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Bio-Protect AM50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recalculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Bio-Protect AM50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester,	Odor-causing bacteria, bacteria which cause staining and discoloration,	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of

polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	and fungi (mold and mildew)	fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold	<p>SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary, reapply Bio-Protect AM50 every three months or when odor,</p>

	and mildew), and algae	staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, and antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.

Antimicrobial Surface Protectant

Provides a Clear, Long Lasting Shield Which Stops and Prevents the Growth of Mold, Mildew, Fungus, Algae and Odor & Stain Causing Bacteria.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP 17 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Kevin Kutcel
Agent for
Pure Shield Inc.
1445 Jupiter Park Drive, #11
Jupiter, FL 33458

Subject: Bio-Protect AM50
EPA Registration Number 87583-3
Notification Application Dated August 15, 2014
EPA Received Date August 19, 2014

Dear Mr. Kutcel:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

- Additional source of the active ingredient has been added to CSF alternate #1
- Bio-Protect Clarification on CSF
- **General Comments:**

Based on a review of the material submitted, the following comment apply:

The two above notification submitted to the Agency are unacceptable. Your company must submit the CSFs as an amendment.. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely,

A handwritten signature in cursive script, appearing to read "Drusilla Copeland", is written over the typed name.

Drusilla Copeland
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

August 15, 2014

Ms. Velma Noble
US Environmental Protection Agency (AMEND)
Office of Pesticide Programs
Antimicrobial Division (S-8824)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Amendment – Alternate Registered Source per PR Notice 98-10
Bio-Protect AM50 (Reg. No. 87583-3)


Dear Ms. Noble,

Please accept the alternate CSF (#1) for the product, Bio-Protect AM50 (Reg. No. 87583-3), in which an additional source of the active ingredient has been added to the CSF as [REDACTED]. Please note that this active ingredient is registered and therefore this alternate formulation should qualify as a notification per PR Notice 98-10. Per PR Notice 98-10, included with this package is:

- Application (Form 8570-1)
- Basic Confidential Statement of Formula (Form 8570-4)
- Two copies of alternate #1 Confidential Statement of Formula (Form 8570-4)
- Formulator's Exemption (Form 8570-27)

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.

Product ingredient source information may be entitled to confidential treatment



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☒ Amendment
☐ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input checked="" type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 2, 4, 6, 8, 12, 16, 32 oz 6.5, 30, 55, 275 gals	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kevin Kutcel	Title Agent	Telephone No. (Include Area Code) 440-263-7305
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Kevin Kutcel	5. Date 8/15/2014	

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

August 15, 2014

Ms. Velma Noble
Product Manager – Team 31
US Environmental Protection Agency (NOTIF)
Office of Pesticide Programs
Antimicrobial Division (S-8824)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Notification – Bio-Protect AM50 (EPA No. 87583-3)
Clarification on the Confidential Statement of Formula


Dear Ms. Noble,

While registering the product, Bio-Protect AM50 (Reg. No. 87583-3), the California Department of Pesticide Regulation has requested that a clarification statement be made on the basic Confidential Statement of Formula (EPA Form 8570-4) [REDACTED]

[REDACTED]
[REDACTED] [REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
* Certification must be submitted				<input type="checkbox"/> Plastic	
	If "Yes" Unit Packaging wgt.	No. per container		<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kevin Kutcel	Title Agent	Telephone No. (Include Area Code) 440-263-7305
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp)
2. Signature 	3. Title Agent	
4. Typed Name Kevin Kutcel	5. Date 8/15/2014	



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Kevin Kutcel
Agent for PureShield, Inc.
KRK Consulting, LLC
5807 Churchill Way
Medina, OH 44256

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

AUG 14 2014

SUBJECT: BioProtect AM50
EPA Registration Number: 87583-3
Application Date: July 11, 2014
Receipt Date: July 15, 2014

Dear Mr. Kutcel:


This letter acknowledges receipt of the notification identified above submitted under provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended and PR Notice 98-10.

- To create new Alternate CSF

Based on a review of the submitted information, this notification is unacceptable for the following reason. In accordance with PR Notice 98-10 section N minor changes which are related to FIFRA may be made by notifications, provided they involve no change in **ingredients**, statements or signal word. Your proposed Confidential Statement of Formula (CSF) dated 7/11/2014 includes such changes which could not be approved via notification. This type of review would be processed by our chemists with a 90 day review time frame. If you desire to make this change, resubmit this information via amendment to the Agency for review.

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

July 11, 2014

Ms. Velma Noble
US Environmental Protection Agency (NOTIF)
Office of Pesticide Programs
Antimicrobial Division (S-8824)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Notification – Alternate Registered Source per PR Notice 98-10
Bio-Protect AM50 (Reg. No. 87583-3)

Dear Ms. Noble,

Please accept the alternate CSF (#1) for the product, Bio-Protect AM50 (Reg. No. 87583-3), in which an additional source of the active ingredient has been added to the CSF as [REDACTED]


[REDACTED] Please note that this active ingredient is registered and therefore this alternate formulation should qualify as a notification per PR Notice 98-10. Per PR Notice 98-10, included with this package is:

- Application (Form 8570-1)
- Basic Confidential Statement of Formula (Form 8570-4)
- Two copies of alternate #1 Confidential Statement of Formula (Form 8570-4)
- Formulator's Exemption (Form 8570-27)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.



United States
Environmental Protection Agency
 Washington, DC 20460
Formulator's Exemption Statement
 (40 CFR 152.85)

Applicant's Name and Address PureShield Inc. 1445 Jupiter Park, Suite 11 Jupiter, FL 33458	EPA File Symbol/Registration Number 87583-3
	Product Name Bio-Protect AM50
	Date of Confidential Statement of Formula (EPA Form 8570-4) 07/11/2014

As an authorized representative of the applicant for registration of the product identified above, I certify that:

- (1) This product contains the following active ingredient(s):

3-(Trimethoxysilyl)propyl dimethyl octadecyl ammonium chloride

OR: octadecylaminodimethyltriethoxysilyl propyl ammonium chloride

CAS No. 27668-52-6

- (2) Of these, each active ingredient listed in paragraph (4) is present solely as the result of the use of that active ingredient in the manufacturing, formulation or repackaging another product which contains that active ingredient which is registered under FIFRA Section 3, is purchased by us from another person and meets the requirements of 40 CFR section 158.50(e)(2) or (3).

- (3) Indicate by checking (A) or (B) below which paragraph applies:

- ☒ (A) An accurate Confidential Statement of Formula (EPA FORM 8570-4) for the above identified product is attached to this statement. That formula statement indicates, by company name, registration number, and product name, the source of the active ingredient(s) listed in paragraph (1).

OR

- ☐ (B) The Confidential Statement of Formula (CSF)(EPA Form 8570-4) referenced above and on file with the EPA is complete, current, an accurate and contains the information required on the current CSF.

- (4) The following active ingredients in this product qualify for the formulator's exemption.

Source

Active Ingredient	Product Name	Registration Number
3-(Trimethoxysilyl)propyl dimethyl octadecyl ammonium chloride aka: octadecylaminodimethyl-triethoxysilyl propyl ammonium chloride CAS No. 27668-52-6		
Signature 	Name and Title Kevin R. Kutcel / Consultant	Date 07/11/2014

EPA Form 8570-27 (Rev. 06-2004)

Copy 1 – EPA
Copy 2 - Applicant copy

Product ingredient source information may be entitled to confidential treatment



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
* Certification must be submitted				<input type="checkbox"/> Plastic	
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kevin Kutcel	Title Agent	Telephone No. (Include Area Code) 440-263-7305
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Kevin Kutcel	5. Date 7/11/2014	



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Kevin Kutcel
Agent for PureShield, Inc.
KRK Consulting, LLC
5807 Churchill Way
Medina, OH 44256

MAY - 5 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

SUBJECT: BioProtect AM50
EPA Registration Number: 87583-3
Application Date: April 16, 2014
Receipt Date: April 18, 2014

Dear Mr. Kutcel:

This letter acknowledges receipt of the notification identified above submitted under provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended and PR Notice 98-10.

- To add the optional marketing statement "Biohazard protection for Planet Earth".

Based on a review of the submitted information, this notification is not acceptable. The proposed statement is too broad. Additionally it is in contra version with the ENVIRONMENTAL HAZARD statement.

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Sincerely,

A handwritten signature in black ink, appearing to read "Velma Noble", is written over a horizontal line.

Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

RISK ASSIGNMENT FORM
Antimicrobial Division/Regulatory Management Branch I

A	Completed by Product Manager						
PRODUCT REVIEWER: <i>Emilia</i>					RMBI <u>TEAM 31</u>		
Type of Action: <i>Not. Final</i>					EPA File Symbol/Reg No. <i>87583-3</i>		
Decision No.		Submission No.		Fee for Service Action Code:			
FQPA Action Code: <i>332</i>		Non-FQPA Action Code:		PRIA FEE AMOUNT:			
		MONTH	DAY	YEAR			
APPLICATION DATE		<i>4</i>	<i>16</i>	2014			
EPA PIN DATE		<i>4</i>	<i>18</i>	2014			
DATE PM RECEIVED FROM FRONT END		<i>May</i>	<i>18</i>	2014			
DATE SENT TO SCIENCE							
DATE RECEIVED FROM SCIENCE							
DATE DUE TO PM							
Type of Data:	PSB Product Chemistry	PSB Acute Toxicology	PSB Efficacy	RASSB Environmental Fate	RASSB Ecological Effects	RASSB Chronic Toxicology	RASSB Exposure/Residue
ATTACHMENTS: LABELING e-CSFS e-DATA e-OTHERS							
B	For Arctic Slope Contract Only						
	Contract No.: 0052		ARCTIC SLOPE/MANAGER				
	Final Task: Signature _____ (Total hrs)						
C	Reviewer Comments:						
DATE FEE PAID:				RESPONSE CODE:		RESPONSE DATE:	



[Biohazard Protection for Planet Earth]

Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....**0.50%**
Other Ingredients:**99.50%**
TOTAL
INGREDIENTS:**100.00%**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains

- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Bio-Protect AM50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
Air filters and air filter material for: <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	Odor-causing bacteria, bacteria which cause staining and	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Bio-Protect AM50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recalculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Bio-Protect AM50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass,	Odor-causing bacteria, bacteria which cause staining and	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with

nylon, polyester, polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	discoloration, and fungi (mold and mildew)	moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration,	SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 5"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary,

	fungi (mold and mildew), and algae	reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, and antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: “Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site.”]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

April 16, 2014

US Environmental Protection Agency (NOTIF)

Office of Pesticide Programs

Antimicrobial Division (S-8824)

Room S-4900, One Potomac Yard

2777 South Crystal Drive

Arlington, VA 22202-4501


Subject: Notification – Bio-Protect AM50 (EPA No. 87583-3)
Addition of Optional Marketing Statement

Please find three (3) copies of the amended label in which the optional marketing statement “Biohazard Protection for Planet Earth” has been added to the label.

Attached is EPA Form 8570-1 regarding this notification as required in PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA’s regulations at 40 CFR 156.46, 156.140, 156.144, 156.146 and 156.156 and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of PR Notice 98-10 and CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,

Agent for PureShield Inc.



United States
Environmental Protection Agency
Washington, DC 20460

☐
☐
☒

Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number
PureShield Inc. / 87583-3

2. EPA Product Manager
Velma Noble

3. Proposed Classification
☒ None ☐ Restricted

4. Company/Product (Name)
PureShield Inc. / Bio-Protect AM50

PM#
31

5. Name and Address of Applicant (Include ZIP Code)

PureShield Inc.
1445 Jupiter Park Drive, #11
Jupiter, FL 33458

☐

Check if this is a new address

6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:

EPA Reg. No. _____

Product Name _____

Section - II

☐ Amendment - Explain below.

☐ Resubmission in response to Agency letter dated _____

☒ Notification - Explain below.

☐ Final printed labels in response to
Agency letter dated _____

☐ "Me Too" Application.

☐ Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging

☐ Yes
☒ No

* Certification must
be submitted

Unit Packaging

☐ Yes
☒ No

If "Yes"
Unit Packaging wgt. No. per
container

Water Soluble Packaging

☐ Yes
☒ No

If "Yes"
Package wgt No. per
container

2. Type of Container

☒ Metal
☐ Plastic
☐ Glass
☐ Paper
☐ Other (Specify) _____

3. Location of Net Contents Information

☒ Label ☐ Container

4. Size(s) Retail Container

5. Location of Label Directions

☒ On Label
☐ On Labeling accompanying product

6. Manner in Which Label is Affixed to Product

☒ Lithograph
Paper glued
☐ Stenciled

☐ Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name
Kevin Kutcel

Title
Agent

Telephone No. (Include Area Code)
440-263-7305

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or
both under applicable law.

2. Signature

3. Title
Agent

4. Typed Name
Kevin Kutcel

5. Date
4/16/2014

6. Date Application
Received
(Stamped)

Material Sent for Data Extraction

Reg # 27583-3

Description: _____

☒ Material(s) Sent to Data Extraction Contractors

☐ New Stamped Label Dated _____

☒ Notification Dated _____

☐ New CSF(s) Dated _____

☐ Other: _____

☒ Decision #: 487421

☐ Other Action/Comments: _____

Attach this coversheet to the top of the material or jacket. It must be well organized and clipped together, NOT STAPLED. Then give the material with this coversheet to staff in the Information Services Center (Room S-4900).

Reviewer: E. C. [unclear]

Phone: 347 0199 Division: AB

Date: _____

Created February 3, 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Kevin Kutcel
Agent for PureShield, Inc.
KRK Consulting, LLC
5807 Churchill Way
Medina, OH 44256

FEB 17 2014

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

SUBJECT: BioProtect AM50
EPA Registration Number: 87583-3
Application Date: January 29, 2014
Receipt Date: January 31, 2014

Dear Mr. Kutcel:

This letter acknowledges receipt of the notification identified above submitted under provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended and PR Notice 98-10.


- To update label language by removing "an adjunct" and "disinfection" from fogging claim.

Based on a review of the submitted information, this notifications is acceptable. Your proposed changes will be made part of the record for this file

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Sincerely,


Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

KRK Consulting LLC

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

January 29, 2014

Ms. Emilia Oiguenblik
US Environmental Protection Agency (NOTIF)
Office of Pesticide Programs
Antimicrobial Division (S-8824)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Notification – Response to letter dated January 22, 2014 (EPA No. 87583-3)
“Bio-Protect AM 50”


Dear Ms. Oiguenblik,

In response to your letter dated January 22, 2014 please find three (3) copies of the amended label in which “an adjunct” and “disinfection” have been removed.

Attached is EPA Form 8570-1 regarding this notification as required in PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA’s regulations at 40 CFR 156.46, 156.140, 156.144, 156.146 and 156.156 and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of PR Notice 98-10 and CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number PureShield Inc. / 87583-3	2. EPA Product Manager Velma Noble	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PureShield Inc. / Bio-Protect AM50	PM# 31	
5. Name and Address of Applicant (Include ZIP Code) PureShield Inc. 1445 Jupiter Park Drive, #11 Jupiter, FL 33458 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please read attached cover letter.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Kevin Kutcel		Title Agent	
		Telephone No. (Include Area Code) 440-263-7305	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Agent	
4. Typed Name Kevin Kutcel		5. Date Jan 29, 2014	



Active Ingredient: 3-(trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....**0.50%**
Other Ingredients:**99.50%**
TOTAL
INGREDIENTS:**100.00%**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 87583-3

EPA EST. No. xxxxx-xx-xxx

NET CONTENTS: 2,4,6,8,12,16,32 oz or 1,5,30,55,275 Gallons

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

Manufactured by: PureShield Inc., 1445 Jupiter Park Drive, Suite 11, Jupiter, FL 33458

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Bio-Protect AM50 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Bio-Protect AM50.

Residential use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Bio-Protect AM50 can be applied to organic or inorganic substrates by fogging. All surfaces must be cleaned prior to fogging. Fogging is supplement to normal cleaning ~~and disinfection procedures~~ and practices. Fogging can be used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities.

1. Prior to fogging, remove and carefully protect all food products and packaging materials.
2. Fog areas using one gallon per 1000 cu. ft. of room area .
3. Allow surfaces to drain thoroughly and air dry before operations are resumed.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Bio-Protect AM50 when used as a concrete additive is added directly concrete preparation. Use 60 fluid ounces per cubic feet of concrete. Addition of Bio-Protect AM50 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains

- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

The active ingredient in Bio-Protect AM50 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Bio-Protect AM50 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, wood, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman's hosiery
- Women's intimate apparel
-

For Pump Spray Application: Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

DIRECTIONS FOR USE

For residential applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved residential uses

The active ingredient in Bio-Protect AM50 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent.

	Pest controlled	Method of Application
Bed sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Bio-Protect AM50 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefin, polypropylene, rayon, silk, spandex, vinyl, and wool.	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
Air filters and air filter material for: <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification 	Odor-causing bacteria, bacteria which cause staining and	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Bio-Protect AM50 every three</p>

systems <ul style="list-style-type: none"> • Automobiles • Recalculating air handling systems • Vacuum cleaner filters • Aquariums 	discoloration, fungi (mold and mildew), and algae	months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Bio-Protect AM50 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Bio-Protect AM50 treats approximately 200 square feet per gallon (50 square feet per quart). When treating coarser substrates (e.g., wool carpeting), more Bio-Protect AM50 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass,	Odor-causing bacteria, bacteria which cause staining and	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with

nylon, polyester, polyethylene, polyolefin, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon, or wool	discoloration, and fungi (mold and mildew)	moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tents, tarpaulins, wood, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p> <p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Bio-Protect AM50 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor-causing bacteria, bacteria which cause staining and discoloration,	<p>SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying Bio-Protect AM50, let stand until dry. Bio-Protect AM50 treats approximately 200 square feet of roofing per gallon (50 square feet per quart). If necessary,</p>

	fungi (mold and mildew), and algae	reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of Application
Buffer pads (polishing and abrasive), polyurethane and cellulose for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Bio-Protect AM50 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Inhibits the growth of odor causing bacteria between cleanings.

Inhibits the growth of bacteria which cause staining and discoloration between cleanings.

Inhibits the growth of fungi (mold and mildew) between cleanings.

Inhibits the growth of algae between cleanings.

Inhibits the growth of odor causing bacteria which cause staining and discoloration, fungi (mold and mildew), and algae between cleanings.

Mold, mildew, odor protector and inhibitor.

Bio-Protect AM50 is an antimicrobial agent effective against odor causing bacteria.

Bio-Protect AM50 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Bio-Protect AM50 is an antimicrobial agent effective against fungi (mold and mildew).

Bio-Protect AM50 is an antimicrobial agent effective against algae.

Bio-Protect AM50, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Bio-Protect AM50, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow in even the cleanest of homes.

Bio-Protect AM50, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica, stainless steel, synthetic marble.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Handling: (containers intended for residential users) Nonrefillable/container. Do not reuse or refill the container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.

Container Handling: (containers intended for nonresidential users, larger than 5 gallons) Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Container Handling: (containers intended for nonresidential users, smaller than 5 gallons) Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Dispose of rinsate as a pesticide waste. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING PURESHIELD INC. AT 1445 JUPITER PARK DRIVE, SUITE 11, JUPITER, FL 33458.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

PureShield Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. PURESHIELD INC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

